## NSN 5945-01-170-2110

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-170-2110

**Thread Class:** 2b single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Length:** 1.500 inches **Overall Height:** 2.154 inches **Overall Width:** 1.500 inches **Environmental Protection:** Dustproof **Contact Material:** Gold **Contact Surface Treatment:** Silver plated **Winding Quantity: Coil Quantity:** Winding Dc Resistance Rating: 32.1 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, double throw, one position momentary **Operating Current Rating And Type:** 188.0 milliamperes dc single winding **Operating Voltage Rating And Type At Specificationified Temp:** 6.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load and 10.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 240.0 ac and 28.0 dc

\_ . . . . . . . .

**Precious Material And Location:** 

Contacts gold and contact surfaces silver

## NSN 5945-01-170-2110

Electromagnetic Relay - Page 2 of 2



Precious Material:
Gold and silver
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
5 quick disconnect, male all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A03300