# NSN 5945-01-172-6503

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-172-6503

#### **Body Style:**

Open frame

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.375 inches

#### Mounting Slot Width:

0.281 inches

#### **Body Length:**

2.973 inches

#### **Body Width:**

2.375 inches

#### **Body Height:**

2.973 inches

#### **Unthreaded Mounting Hole Diameter:**

0.281 inches

#### End Application:

Telescopic door assembly 45073 model a used aboard 270 ft. Coast guard vessels

#### Inclosure Type:

Uninclosed

## Magnetic Coil Quantity:

1

#### **Electrical Resistance:**

6.50 ohms

#### Duty Type:

Continuous

#### **Terminal Location:**

One side

#### **Electric Power Rating:**

25.0 watts

#### Voltage Rating In Volts:

120.0 ac

### Mounting Facility Type And Quantity:

2 slot and 4 unthreaded hole

#### **Current Rating:**

0.7 amperes

### Actuator Stroke Type:

Pull

## Linear Force Delivered:

32.00 pounds

## Power Takeoff Connection Type:

U-shaped bracket

# NSN 5945-01-172-6503

Electrical Solenoid - Page 2 of 2



Energizing Stroke Maximum Length:

1.250 inches

Mounting Facility Pattern:

Six position rectangular

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A134a0