# NSN 5945-01-175-5067

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-175-5067

# **Thread Class:**

2a single mounting facility

# **Thread Direction:**

Right-hand single mounting facility

# Thread Length:

0.280 inches single mounting facility

# **Overall Length:**

1.100 inches

#### **Overall Height:**

1.680 inches

**Overall Width:** 

0.850 inches

**Environmental Protection:** 

#### Dustproof

Fragility Factor:

# Moderately rugged

# Winding Quantity:

1

**Coil Quantity:** 

1

Winding Dc Resistance Rating:

650.0 ohms single winding

**Duty Type:** 

Continuous

# Mounting Facility Type And Quantity:

1 threaded stud single mounting facility

# Storage Type:

General purpose warehouse

# Cubic Measure:

1.571 cubic inches

# Thready Qty Per Inch (tpi):

48 single mounting facility

**Thread Size:** 

0.099 inches single mounting facility

# Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

# Time Delay:

0.02 seconds fixed operate and release time

# Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

NSN 5945-01-175-5067

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

**Thread Series Designator:** 

Unc single mounting facility

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300