NSN 5945-01-177-2030

Electromagnetic Relay - Page 1 of 2



To Length:

View Online at https://aerobasegroup.com/nsn/5945-01-177-2030
Overall Length:
2.750 inches
Center To Center Distance Between Mounting Facilities Parallel
2.250 inches single mounting facility
Overall Width:
1.281 inches
Unthreaded Mounting Hole Diameter:
0.171 inches single mounting facility
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Cadmium plated
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
17.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
20.0 amperes ac resistive load and 20.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
117.0 ac and 26.5 dc
Precious Material And Location:

Contacts silver

NSN 5945-01-177-2030

Electromagnetic Relay - Page 2 of 2



_					
μ	rac	IUIIC	Mate	arıal:	•

Silver

Terminal Type And Quantity:

8 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300