NSN 5945-01-177-9514

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-177-9514

view Online at https://derobasegroup.com/nsn/0545-01-177-5514
Overall Length:
5.600 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.000 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.000 inches single mounting facility
Overall Height:
5.160 inches
Overall Width:
5.400 inches
Unthreaded Mounting Hole Diameter:
0.219 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
156.038 cubic inches
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally open, momentary action
Nonpile-up Auxiliary Contact Arrangement:
3 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action
Auxiliary Contact Maximum Voltage Rating In Volts:
115.0 ac
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

18.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac

NSN 5945-01-177-9514

Electromagnetic Relay - Page 2 of 2



Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

Terminal Type And Quantity:

16 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300