

View Online at <https://aerobasegroup.com/nsn/5945-01-179-0271>

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Thread Length:

0.360 inches single mounting facility and 0.400 inches single mounting facility

Overall Length:

Between 3.210 inches and 3.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.928 inches single mounting facility and 1.948 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.615 inches single mounting facility and 1.635 inches single mounting facility

Overall Height:

Between 2.120 inches and 2.160 inches

Overall Width:

Between 2.250 inches and 2.290 inches

Fragility Factor:

Moderately rugged

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Storage Type:

General purpose warehouse

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

15.00 seconds fixed release time and 20.00 seconds fixed release time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300