

View Online at <https://aerobasegroup.com/nsn/5945-01-179-0271>

**Thread Class:**

2a single mounting facility

**Thread Direction:**

Right-hand single mounting facility

**Thread Length:**

0.360 inches single mounting facility and 0.400 inches single mounting facility

**Overall Length:**

Between 3.210 inches and 3.250 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.928 inches single mounting facility and 1.948 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.615 inches single mounting facility and 1.635 inches single mounting facility

**Overall Height:**

Between 2.120 inches and 2.160 inches

**Overall Width:**

Between 2.250 inches and 2.290 inches

**Fragility Factor:**

Moderately rugged

**Winding Quantity:**

1

**Purpose For Which Designed:**

General

**Coil Quantity:**

1

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 threaded stud single mounting facility

**Storage Type:**

General purpose warehouse

**Thready Qty Per Inch (tpi):**

32 single mounting facility

**Thread Size:**

0.138 inches single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

**Time Delay:**

15.00 seconds fixed release time and 20.00 seconds fixed release time

**Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

2.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

28.0 dc

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

14 wire hook all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300