## NSN 5945-01-181-8995

Electromagnetic Relay - Page 1 of 2

1.200 inches single mounting facility

Overall Length: 1.450 inches

Overall Height: 0.455 inches Overall Width:



View Online at https://aerobasegroup.com/nsn/5945-01-181-8995

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

| 1.281 inches  |
|---|
| Case Material:  |
| Metal   |
| Environmental Protection:                                     |
| Hermetic  |
| Unthreaded Mounting Hole Diameter:                            |
| 0.122 inches single mounting facility                         |
| Fragility Factor:   |
| Moderately rugged   |
| Contact Material:   |
| Nickel and silver   |
| Contact Surface Treatment:                                    |
| Gold  |
| Winding Quantity:   |
| 1   |
| Coil Quantity:  |
| 1   |
| Winding Dc Resistance Rating:                                 |
| 200.0 ohms single winding                                     |
| Duty Type:  |
| Continuous  |
| Mounting Facility Type And Quantity:                          |
| 2 unthreaded hole single mounting facility                    |
| Storage Type:   |
| General purpose warehouse                                     |
| Cubic Measure:  |
| 0.845 cubic inches  |
| Mounting Facility Pattern:                                    |
| In-line single mounting facility                              |
| Nonpile-up Main Contact Arrangement:                          |
| 2 pole, double throw, one position momentary                  |
| Time Delay:   |
| 0.015 seconds fixed operate time                              |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 6.0 volts dc 25 degrees celsius single winding                |
|   |

## NSN 5945-01-181-8995

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 3.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac and 28.0 dc

**Energizing Element Power Rating:** 

1.5 watts

**Precious Material And Location:** 

Contacts silver and contact surfaces gold

**Precious Material:** 

Gold and silver

**Terminal Type And Quantity:** 

8 wire lead all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300