## NSN 5945-01-188-2266

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-188-2266
Thread Class:
2b single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.750 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility
Overall Height:
3.670 inches
Overall Width:
1.340 inches
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 threaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
8.606 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally closed, momentary action

## NSN 5945-01-188-2266

Electromagnetic Relay - Page 2 of 2



Time D	elay:
--------	-------

0.04 seconds fixed release time

**Operating Voltage Rating And Type At Specificationified Temp:** 

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

12000.0 ac

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

4 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300