NSN 5945-01-188-4819

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-188-4819

Overall Length:
1.730 inches
Overall Height:
2.110 inches
Overall Width:
1.280 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.150 inches single mounting facility
Frequency In Hertz:
400.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
150.0 milliamperes dc single winding
Time Delay:
160.00 seconds fixed operate time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.446 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
8.0 amperes ac inductive load and 8.0 amperes dc inductive load
Main Contact Maximum Voltage Rating In Volts:
200.0 ac and 28.0 dc
Test Data Document:
81349-mil-r-83726 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
8 wire hook all functions

Specification Data:

81349-mil-r-83726/3 government specification

NSN 5945-01-188-4819

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300

