

View Online at <https://aerobasegroup.com/nsn/5945-01-189-5123>

Overall Length:

3.635 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.875 inches single mounting facility

Overall Height:

2.280 inches

Overall Width:

2.500 inches

Environmental Protection:

Fungus resistant

Unthreaded Mounting Hole Diameter:

0.187 inches single mounting facility

Fragility Factor:

Moderately rugged

Contact Material:

Silver

Contact Surface Treatment:

Gold flash

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Duty Type:

Continuous

Arc Quenching Method:

Magnetic

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, double make, momentary action

Operating Current Rating And Type:

84.0 milliamperes dc single winding

Nonpile-up Auxiliary Contact Arrangement:

2 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

250.0 ac and 250.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

500.0 dc

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

10.0 probe ac resistive load and 250.0 dual 16 stage dc resistive load

Energizing Element Power Rating:

2.0 watts

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Gold and silver

Terminal Type And Quantity:

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300