## NSN 5945-01-190-5122

Electromagnetic Relay - Page 1 of 2

8.0 amperes ac resistive load



View Online at https://aerobasegroup.com/nsn/5945-01-190-5122

Occupably a months
Overall Length:
5.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.562 inches single mounting facility
Overall Height:
4.219 inches
Overall Width:
3.000 inches
Case Material:
Metal
Unthreaded Mounting Hole Diameter:
0.199 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
63.285 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
4.125 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
208.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Pating At Maximum Pated Voltage:

## NSN 5945-01-190-5122

Electromagnetic Relay - Page 2 of 2



115.0 ac

**Terminal Type And Quantity:** 

11 screw all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300