

View Online at <https://aerobasegroup.com/nsn/5945-01-190-5145>

**Thread Class:**

2a power takeoff facility stud

**Body Style:**

Cylindrical frame

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches

**Case Material:**

Metal

**Environmental Protection:**

Dust tight and heat resistant and humidity resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:**

0.280 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

2

**Duty Type:**

Continuous

**Terminal Location:**

End opposite actuator

**Voltage Rating In Volts:**

12.0 dc

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Features Provided:**

W/boot and w/spring and w/terminal common to both coils

**Thready Qty Per Inch (tpi):**

28 power takeoff facility stud

**Actuator Stroke Type:**

Pull

**Linear Force Delivered:**

18.00 pounds

**Power Takeoff Connection Type:**

External threads

**Energizing Stroke Maximum Length:**

1.000 inches

**Thread Size:**

0.250 inches power takeoff facility stud

**Mounting Facility Pattern:**

Four position rectangular

**Thread Series Designator:**

Unf power takeoff facility stud

**Terminal Type And Quantity:**

3 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A134a0