

View Online at <https://aerobasegroup.com/nsn/5945-01-190-5145>

Thread Class:

2a power takeoff facility stud

Body Style:

Cylindrical frame

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches

Case Material:

Metal

Environmental Protection:

Dust tight and heat resistant and humidity resistant and vibration resistant

Unthreaded Mounting Hole Diameter:

0.280 inches

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

2

Duty Type:

Continuous

Terminal Location:

End opposite actuator

Voltage Rating In Volts:

12.0 dc

Mounting Facility Type And Quantity:

4 unthreaded hole

Features Provided:

W/boot and w/spring and w/terminal common to both coils

Thready Qty Per Inch (tpi):

28 power takeoff facility stud

Actuator Stroke Type:

Pull

Linear Force Delivered:

18.00 pounds

Power Takeoff Connection Type:

External threads

Energizing Stroke Maximum Length:

1.000 inches

Thread Size:

0.250 inches power takeoff facility stud

Mounting Facility Pattern:

Four position rectangular

Thread Series Designator:

Unf power takeoff facility stud

Terminal Type And Quantity:

3 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0