# NSN 5945-01-192-8651

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-192-8651

# **Overall Length:**

1.390 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.062 inches single mounting facility

## **Overall Height:**

0.437 inches

# **Overall Width:**

1.100 inches

#### **Case Material:**

Metal

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.125 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 0.281 inches single mounting facility

**Fragility Factor:** 

#### Moderately rugged

Winding Quantity:

2

#### **Purpose For Which Designed:**

General

### **Coil Quantity:**

2

#### Winding Dc Resistance Rating:

40.0 ohms all windings

#### Duty Type:

Continuous

#### Arc Quenching Method:

Air

#### Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### Storage Type:

General purpose warehouse

#### **Features Provided:**

Latching contacts and polarized

#### **Cubic Measure:**

0.668 cubic inches

### Mounting Facility Pattern:

Rectangular single mounting facility

## Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

# NSN 5945-01-192-8651

Electromagnetic Relay - Page 2 of 2



**Time Delay:** 

0.003 seconds fixed operate time

**Operating Voltage Rating And Type At Specificationified Temp:** 

6.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 30.0 dc

**Energizing Element Power Rating:** 

1.0 watts

Terminal Type And Quantity:

10 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300