NSN 5945-01-193-4948

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-193-4948

Overall Length:

4.430 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.740 inches single mounting facility and 3.760 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.740 inches single mounting facility and 2.760 inches single mounting facility

Overall Height:

4.510 inches

Overall Width:

3.430 inches

Case Material:

Metal

Unthreaded Mounting Hole Diameter:

0.191 inches single mounting facility and 0.206 inches single mounting facility

Fragility Factor:

Moderately rugged

Winding Quantity:

2

Purpose For Which Designed:

General

Coil Quantity:

2

Winding Dc Resistance Rating:

132.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

68.528 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

120.0 amperes ac resistive load

NSN 5945-01-193-4948

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

200.0 ac

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes dc resistive load

Terminal Type And Quantity:

9 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300