# NSN 5945-01-194-7295

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-194-7295

## Overall Length:

3.600 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.359 inches single mounting facility

#### **Overall Height:**

2.120 inches

#### **Overall Width:**

1.760 inches

#### **Mounting Slot Width:**

0.178 inches single mounting facility

#### **Case Material:**

Plastic

**Environmental Protection:** 

Dustproof

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

2.000 inches single mounting facility

#### **Fragility Factor:**

Moderately rugged

## Frequency In Hertz:

60.0

#### Winding Quantity:

1

### Purpose For Which Designed:

General

#### **Coil Quantity:**

1

#### Duty Type:

Continuous

Arc Quenching Method:

Air

#### Mounting Facility Type And Quantity:

2 slotted hole single mounting facility

#### Storage Type:

General purpose warehouse

#### Cubic Measure:

13.432 cubic inches

#### Mounting Facility Pattern:

Diagonal single mounting facility

#### Nonpile-up Main Contact Arrangement:

4 pole, single throw, normally open, momentary action

#### **Operating Current Rating And Type:**

2.4 amperes ac single winding

## NSN 5945-01-194-7295

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

230.0 volts ac 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

9.0 amperes ac inductive load

Main Contact Maximum Voltage Rating In Volts:

480.0 ac

Terminal Type And Quantity:

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300