NSN 5945-01-195-7263

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-195-7263

Overall Length:
0.610 inches
Overall Height:
0.450 inches
Overall Width:
0.570 inches
Case Material:
Plastic Footbase and Protections
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Contact Material:
Gold
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
1.15 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 printed circuit terminal single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Electrostatic shield and polarized
Cubic Measure:
0.156 cubic inches
Nonpile-up Main Contact Arrangement:
1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action
Operating Current Rating And Type:
10.4 milliamperes dc single winding
Time Delay:
0.007 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

NSN 5945-01-195-7263

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage: 300.0 milliamperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 30.0 dc **Energizing Element Power Rating:** 125.0 milliwatts **Precious Material And Location:** Contacts gold **Precious Material:** Gold **Terminal Type And Quantity:** 1 printed circuit all functions Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A03300