## NSN 5945-01-198-6973

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-198-6973

,
Overall Length:
1.340 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.062 inches single mounting facility
Overall Height:
0.612 inches
Overall Width:
0.410 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.120 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Compressor
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
373.0 ohms single winding and 484.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.336 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:

0.006 seconds fixed operate and release time

## NSN 5945-01-198-6973

Electromagnetic Relay - Page 2 of 2



## Operating Voltage Rating And Type At Specificationified Temp: 16.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 28.0 dc **Energizing Element Power Rating:** 1.2 watts **Precious Material And Location:** Terminal surfaces gold **Precious Material:** Gold **Terminal Type And Quantity:** 8 pin all functions Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig: A03300