NSN 5945-01-199-5576

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-199-5576

Thread Class: 2a single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Length:** 1.590 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.000 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.940 inches single mounting facility **Overall Height:** 2.505 inches **Overall Width:** 1.380 inches **Case Material:** Metal **Environmental Protection:** Hermetic **Fragility Factor:**

Moderately rugged

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

5.496 cubic inches

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.132 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

NSN 5945-01-199-5576

Electromagnetic Relay - Page 2 of 2



Nonpile-up Main Contact Arrangement: 2 pole, double throw, one position momentary Time Delay: 2.00 seconds fixed release time **Operating Voltage Rating And Type At Specificationified Temp:** 24.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 28.0 dc **Thread Series Designator:** Unc single mounting facility Terminal Type And Quantity: 8 wire hook all functions Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A03300