

View Online at <https://aerobasegroup.com/nsn/5945-01-201-3914>

Thread Class:

2a mounting facility stud

Thread Direction:

Right-hand mounting facility stud

Body Style:

Double ended actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.719 inches

Body Diameter:

2.250 inches

Body Height:

1.313 inches

Case Material:

Metal

Case Surface Treatment:

Any acceptable

Actuator Length:

0.875 inches

Fragility Factor:

Moderately rugged

Actuator Diameter:

0.312 inches

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

4.69 ohms

Duty Type:

Continuous

Terminal Location:

Circumference

Electric Power Rating:

128.0 watts

Voltage Rating In Volts:

24.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Storage Type:

General purpose warehouse

Thready Qty Per Inch (tpi):

32 mounting facility stud

Actuator Stroke Type:

Pull and push

Linear Force Delivered:

6.00 pounds

Power Takeoff Connection Type:

Plain and external threads

Energizing Stroke Maximum Length:

0.400 inches

Thread Size:

0.312 inches power takeoff facility stud

Mounting Facility Pattern:

Two position in-line

Thread Series Designator:

Unf mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0