NSN 5945-01-203-5714

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-203-5714

Overall Length:
4.188 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.686 inches single mounting facility
Overall Height:
4.250 inches
Overall Width:
3.781 inches
Case Material:
Metal
Unthreaded Mounting Hole Diameter:
0.169 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
67.298 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
2.00 seconds adjustable operate and release time and 120.00 seconds adjustable operate and release time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
3.500 inches single mounting facility

115.0 volts ac 25 degrees celsius single winding

Operating Voltage Rating And Type At Specificationified Temp:

NSN 5945-01-203-5714

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac and 28.0 dc

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300