## NSN 5945-01-206-2624

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-206-2624

view Online at https://acrobasegroup.com/nsi//0345-01-200-2024
Thread Class:
2b single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.813 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility
Overall Height:
1.438 inches
Overall Width:
1.000 inches
Case Material:
Plastic
Fragility Factor:
Moderately rugged
End Application:
Motor ac w/br
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 threaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
2.607 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
In-line single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

## NSN 5945-01-206-2624

Electromagnetic Relay - Page 2 of 2



Operating	Voltage	Rating	And '	Type At	Specif	icationified	Temp:
<b>- p</b> o. ag			,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	O P O O		. Op.

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

240.0 ac

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

4 screw all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300