NSN 5945-01-207-9035

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-207-9035

Overall Length:
2.750 inches
Overall Height:
2.250 inches
Overall Width:
2.000 inches
Case Material:
Metal
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
0.199 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
12.375 cubic inches
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally closed, momentary action
Time Delay:
0.008 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
200.0 milliamperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
24.0 ac

NSN 5945-01-207-9035

Electromagnetic Relay - Page 2 of 2



Test Data Document:

81349-mil-b-85584 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

8 tab, solder lug all functions

Specification Data:

81349-mil-b-85584 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300