# NSN 5945-01-209-2772

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-209-2772

#### **Overall Length:**

1.109 inches

**Overall Height:** 

1.603 inches

## **Overall Width:**

0.859 inches

#### **Case Material:**

Plastic

#### **Environmental Protection:**

Dustproof

**Fragility Factor:** 

## Moderately rugged

**Contact Material:** 

Silver

#### Contact Surface Treatment:

Gold

# Winding Quantity:

thinking Quanti

1

## Purpose For Which Designed:

General

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

160.0 ohms single winding

#### **Duty Type:**

Continuous

#### Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

## Storage Type:

General purpose warehouse

#### Cubic Measure:

1.527 cubic inches

## Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

## Time Delay:

0.013 seconds fixed operate time

## Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

NSN 5945-01-209-2772

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 30.0 dc

#### **Precious Material And Location:**

Contacts silver and contact surfaces gold

**Precious Material:** 

Gold and silver

## Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300