

NSN 5945-01-210-2409 Electromagnetic Relay - Page 1 of 2	ACLORS 6
View Online at https://aerobasegroup.com/nsn/5945-01-210-2409	
Overall Length:	
1.718 inches	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
0.625 inches single mounting facility	
Overall Height:	
1.015 inches	
Overall Width:	
1.000 inches	
Mounting Slot Width:	
0.150 inches single mounting facility	
Case Material:	
Metal	
Environmental Protection:	
Dustproof	
Fragility Factor:	
Moderately rugged	
Frequency In Hertz:	
400.0	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	

Coil Quantity:

Winding Dc Resistance Rating:

18.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

3 slotted hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

1.743 cubic inches

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Time Delay:

0.015 seconds fixed operate and release time

NSN 5945-01-210-2409

Electromagnetic Relay - Page 2 of 2



Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.446 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

6.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac inductive load and 15.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac and 28.0 dc

Terminal Type And Quantity:

9 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300