NSN 5945-01-212-5365

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-212-5365

Overall Length:

4.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility

Overall Height:

3.580 inches

Overall Width:

3.750 inches

Case Material:

Plastic

Unthreaded Mounting Hole Diameter:

0.205 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.936 inches single mounting facility

Fragility Factor:

Moderately rugged

Frequency In Hertz:

60.0

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

135.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

53.700 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

Operating Current Rating And Type:

200.0 milliamperes ac single winding

NSN 5945-01-212-5365

Electromagnetic Relay - Page 2 of 2



Time Delay:

0.20 seconds fixed release time

Operating Voltage Rating And Type At Specificationified Temp: 120.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 30.0 amperes ac resistive load and 15.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 600.0 ac and 240.0 dc **Energizing Element Power Rating:** 8.7 watts **Terminal Type And Quantity:** 8 screw all functions Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A03300