NSN 5945-01-212-5464

Electromagnetic Relay - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5945-01-212-5464

| 1.718 inches |
|---|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.446 inches single mounting facility |
| Overall Height: |
| 0.525 inches |
| Overall Width: |
| 1.435 inches |
| Mounting Slot Width: |
| 0.150 inches single mounting facility |
| Case Material: |
| Metal |
| Environmental Protection: |
| Hermetic |
| Fragility Factor: |
| Moderately rugged |
| Contact Material: |
| Silver and gold |
| Frequency In Hertz: |
| 400.0 |
| Winding Quantity: |
| 1 |
| Purpose For Which Designed: |
| General |
| Coil Quantity: |
| 1 |
| Duty Type: |
| Continuous |
| Arc Quenching Method: |
| Air |
| Mounting Facility Type And Quantity: |
| 2 slotted hole single mounting facility |
| Storage Type: |
| General purpose warehouse |
| Cubic Measure: |
| 1.294 cubic inches |
| Mounting Facility Pattern: |
| In-line single mounting facility |
| Nonpile-up Main Contact Arrangement: |
| 2 pole, double throw, one position momentary |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 230.0 volts ac 25 degrees celsius single winding |
| |

NSN 5945-01-212-5464

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

230.0 ac

Precious Material And Location:

Contacts silver and contacts gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

8 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300