## NSN 5945-01-213-1817

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-213-1817

Overall Length:
6.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches single mounting facility
Overall Height:
3.250 inches
Overall Width:
4.500 inches
Case Material:
Metal
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
0.201 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
87.750 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, single throw, normally closed, double break, momentary action and 2 pole, single throw, normally open, double make,
momentary action
Time Delay:

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

2.120 inches single mounting facility

0.20 seconds fixed operate and release time

## NSN 5945-01-213-1817

Electromagnetic Relay - Page 2 of 2



## **Operating Voltage Rating And Type At Specificationified Temp:**

110.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

440.0 ac

**Terminal Type And Quantity:** 

10 screw all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300