# NSN 5945-01-215-3972

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-215-3972

### **Overall Length:**

2.500 inches

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility

### **Overall Height:**

2.000 inches

**Overall Width:** 

2.125 inches

**Case Material:** 

Metal

**Environmental Protection:** 

Dustproof

**Unthreaded Mounting Hole Diameter:** 

0.199 inches single mounting facility

**Fragility Factor:** 

Moderately rugged

Frequency In Hertz:

400.0

Winding Quantity:

1

**Purpose For Which Designed:** 

General

**Coil Quantity:** 

1

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

10.625 cubic inches

**Mounting Facility Pattern:** 

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, single throw, normally open, momentary action

## Operating Voltage Rating And Type At Specificationified Temp:

110.0 volts ac 25 degrees celsius single winding

## NSN 5945-01-215-3972

Electromagnetic Relay - Page 2 of 2



### Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load

### Main Contact Maximum Voltage Rating In Volts:

400.0 ac

### Terminal Type And Quantity:

10 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

---

### Demilitarization:

No

### Fiig:

A03300