NSN 5945-01-215-7928

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-215-7928

view Online at https://derobasegroup.com/nsi//3343-01-213-7320
Overall Length:
10.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
8.500 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.125 inches single mounting facility
Overall Height:
5.188 inches
Overall Width:
6.000 inches
Case Material:
Metal
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
0.199 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
4920-01-135-4572 test stand, liqu
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
311.280 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

NSN 5945-01-215-7928

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

27.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

600.0 ac

Terminal Type And Quantity:

4 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300