NSN 5945-01-216-7243

Electromagnetic Relay - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5945-01-216-7243 |
|---|
| Overall Length: |
| 2.800 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.870 inches single mounting facility |
| Overall Height: |
| 1.200 inches |
| Overall Width: |
| 1.750 inches |
| Case Material: |
| Plastic |
| Environmental Protection: |
| Dustproof |
| Unthreaded Mounting Hole Diameter: |
| 0.170 inches single mounting facility |
| Fragility Factor: |
| Moderately rugged |
| End Application: |
| 4920-01-130-2292 |
| Winding Quantity: |
| 1 |
| Purpose For Which Designed: |
| General |
| Coil Quantity: |
| 1 |
| Duty Type: |
| Continuous |
| Arc Quenching Method: |
| Air |
| Mounting Facility Type And Quantity: |
| 2 unthreaded hole single mounting facility |
| Storage Type: |
| General purpose warehouse |

Cubic Measure: 5.880 cubic inches

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

Operating Voltage Rating And Type At Specificationified Temp:

5.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

NSN 5945-01-216-7243

Electromagnetic Relay - Page 2 of 2



| Main Contact Maximum Voltage Rating In Volts: |
|---|
| 50.0 dc |
| Terminal Type And Quantity: |
| 4 screw all functions |
| Shelf Life: |
| N/a |

Unit Of Measure:

Demilitarization: No

Fiig:

A03300