

View Online at <https://aerobasegroup.com/nsn/5945-01-217-3512>

Thread Class:

2a power takeoff facility stud

Thread Direction:

Right-hand power takeoff facility stud

Body Style:

Cylindrical frame

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches

Body Diameter:

3.500 inches

Body Length:

1.500 inches

Unthreaded Mounting Hole Diameter:

0.270 inches

Maximum Operating Temp:

125.0 degrees celsius

Mounting Base Width:

2.500 inches

Actuator Length:

2.000 inches

Fragility Factor:

Moderately rugged

End Application:

4310-01-087-4314

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

2

Duty Type:

Continuous

Terminal Location:

End opposite actuator

Voltage Rating In Volts:

12.0 dc

Mounting Facility Type And Quantity:

2 unthreaded hole

Current Rating:

20.0 amperes

Storage Type:

General purpose warehouse

Thready Qty Per Inch (tpi):

28 power takeoff facility stud

Actuator Stroke Type:

Pull

Linear Force Delivered:

6.00 pounds

Power Takeoff Connection Type:

External threads

Energizing Stroke Maximum Length:

1.000 inches

Thread Size:

0.250 inches power takeoff facility stud

Mounting Facility Pattern:

Two position in-line

Thread Series Designator:

Unf power takeoff facility stud

Terminal Type And Quantity:

2 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0