

View Online at <https://aerobasegroup.com/nsn/5945-01-217-3512>

**Thread Class:**

2a power takeoff facility stud

**Thread Direction:**

Right-hand power takeoff facility stud

**Body Style:**

Cylindrical frame

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.000 inches

**Body Diameter:**

3.500 inches

**Body Length:**

1.500 inches

**Unthreaded Mounting Hole Diameter:**

0.270 inches

**Maximum Operating Temp:**

125.0 degrees celsius

**Mounting Base Width:**

2.500 inches

**Actuator Length:**

2.000 inches

**Fragility Factor:**

Moderately rugged

**End Application:**

4310-01-087-4314

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

2

**Duty Type:**

Continuous

**Terminal Location:**

End opposite actuator

**Voltage Rating In Volts:**

12.0 dc

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Current Rating:**

20.0 amperes

**Storage Type:**

General purpose warehouse

**Thready Qty Per Inch (tpi):**

28 power takeoff facility stud

**Actuator Stroke Type:**

Pull

**Linear Force Delivered:**

6.00 pounds

**Power Takeoff Connection Type:**

External threads

**Energizing Stroke Maximum Length:**

1.000 inches

**Thread Size:**

0.250 inches power takeoff facility stud

**Mounting Facility Pattern:**

Two position in-line

**Thread Series Designator:**

Unf power takeoff facility stud

**Terminal Type And Quantity:**

2 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A134a0