NSN 5945-01-220-9923

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-220-9923

Thread Class:
2b mounting facility hole
Thread Direction:
Right-hand mounting facility hole
Body Style:
O-frame
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.406 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.625 inches
Body Length:
1.130 inches
Body Width:
0.940 inches
Body Height:
1.190 inches
Case Material:
Metal
Fragility Factor:
Moderately rugged
Actuator Diameter:
0.313 inches
End Application:
6110-01-171-5398
Frequency In Hertz:
60.0
Inclosure Type:
Partially enclosed, shell
Magnetic Coil Quantity:
1
Electrical Resistance:
410.00 ohms
Duty Type:
Continuous
Terminal Location:
One side
Voltage Rating In Volts:
120.0 ac
Mounting Facility Type And Quantity:
2 threaded hole
Storage Type:

General purpose warehouse

NSN 5945-01-220-9923 Electrical Solenoid - Page 2 of 2



Cubic Measure:
1.242 cubic inches
Thready Qty Per Inch (tpi):
32 mounting facility hole
Actuator Stroke Type:
Push
Linear Force Delivered:
10.00 ounces
Power Takeoff Connection Type:
Slotted-drilled
Energizing Stroke Maximum Length:
0.500 inches
Thread Size:
0.138 inches mounting facility hole
Mounting Facility Pattern:
Two position diagonal
Thread Series Designator:
Unc mounting facility hole
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A134a0