## NSN 5945-01-221-1715

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-221-1715

Overall Length:
2.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.875 inches single mounting facility
Overall Height:
3.125 inches
Overall Width:
2.250 inches
Case Material:
Plastic and metal
Unthreaded Mounting Hole Diameter:
0.096 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.375 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Misc electric
Frequency In Hertz:
60.0
Winding Quantity:
Winding Quantity.
1
1
1 Purpose For Which Designed:
1 Purpose For Which Designed: General
Purpose For Which Designed: General Coil Quantity:
Purpose For Which Designed: General Coil Quantity:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility Storage Type:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility Storage Type: General purpose warehouse
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility Storage Type: General purpose warehouse Cubic Measure:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility Storage Type: General purpose warehouse Cubic Measure: 15.821 cubic inches
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility Storage Type: General purpose warehouse Cubic Measure: 15.821 cubic inches Mounting Facility Pattern:
Purpose For Which Designed: General Coil Quantity: 1 Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 4 unthreaded hole single mounting facility Storage Type: General purpose warehouse Cubic Measure: 15.821 cubic inches Mounting Facility Pattern: Rectangular single mounting facility

120.0 volts ac 25 degrees celsius single winding

## NSN 5945-01-221-1715

Electromagnetic Relay - Page 2 of 2



Main	Contact	Load	Current	Rating	At	Maximum	Rated	Voltage:

16.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

600.0 ac

**Terminal Type And Quantity:** 

4 screw all functions

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A03300