NSN 5945-01-223-3055

Electromagnetic Relay - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5945-01-223-3055

2.440 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility
Overall Height:
2.500 inches
Overall Width:
2.440 inches
Case Material:
Plastic
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.170 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Panel, control
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
200.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Polarized
Cubic Measure:
14.884 cubic inches
Mounting Facility Pattern:

Rectangular single mounting facility

NSN 5945-01-223-3055

Electromagnetic Relay - Page 2 of 2



Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

Time Delay:

0.05 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac lamp load and 10.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Energizing Element Power Rating:

4.35 watts

Terminal Type And Quantity:

8 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300