## NSN 5945-01-224-0109

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-224-0109

Overall Length:
2.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.200 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.700 inches single mounting facility
Overall Height:
1.400 inches
Overall Width:
1.400 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
0.168 inches single mounting facility and 0.174 inches single mounting facility
Contact Material:
Copper
End Application:
6525-01-159-3009; end item name: radiographic/fluorscopic x-ray system model dxd 350 ii
Frequency In Hertz:
Between 50.0 and 60.0
Purpose For Which Designed:
Specific
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 unthreaded hole single mounting facility
Pile-up Main Contact Form Arrangement:
2c
Cubic Measure:
4.900 cubic inches
Operating Current Rating And Type:
5.0 amperes ac all windings and 3.0 amperes ac all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
3.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
250.0 ac
Precious Material And Location:
Cross-bar gold
Precious Material And Weight:
0.013 gold ounces, troy

## NSN 5945-01-224-0109

Electromagnetic Relay - Page 2 of 2



P	reci	nus	Material	ŀ

Gold

**Terminal Type And Quantity:** 

11 tab, solder lug all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300