NSN 5945-01-224-9045

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-224-9045
Thread Class:
2b single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
3.050 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.829 inches single mounting facility and 1.859 inches single mounting facility
Overall Height:
1.950 inches
Overall Width:
1.730 inches
Case Material:
Plastic
Environmental Protection:
Dustproof
Contact Material:
Tungsten
End Application:
6525-01-159-3009 field radiographic/fluoroscopic x-ray system; model dxd 350 ii
Frequency In Hertz:
Between 50.0 and 60.0
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
260.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded hole single mounting facility
Cubic Measure:
10.289 cubic inches
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:

Operating Current Rating And Type:

2 pole, double throw, one position momentary

75.0 milliamperes ac all windings

NSN 5945-01-224-9045

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac

Energizing Element Power Rating:

9.0 volts-amperes

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 quick disconnect, male all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300