NSN 5945-01-224-9046

Electromagnetic Relay - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5945-01-224-9046 |
|---|
| Overall Length: |
| 2.625 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.209 inches single mounting facility and 2.229 inches single mounting facility |
| Overall Height: |
| 1.875 inches |
| Overall Width: |
| 1.312 inches |
| Case Material: |
| Plastic |
| Unthreaded Mounting Hole Diameter: |
| 0.178 inches single mounting facility |
| End Application: |
| 6525-01-159-3009 field radiographic/fluoroscopic x-ray system; model dxd 350 ii |
| Frequency In Hertz: |
| 60.0 |
| Winding Quantity: |
| 420 |
| Purpose For Which Designed: |
| General |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 1.5 ohms single winding |
| Duty Type: |
| Continuous |
| Mounting Facility Type And Quantity: |
| 2 unthreaded hole single mounting facility |
| Pile-up Main Contact Form Arrangement: |
| 1c |
| Cubic Measure: |
| 6.457 cubic inches |
| Mounting Facility Pattern: |
| In-line single mounting facility |
| Minimum Differential Electrical Operating Rating: |
| 100.0 milliamperes |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 200.0 milliamperes ac resistive load |
| Terminal Type And Quantity: |
| 2 tab, solder lug all functions |
| Shelf Life: |

N/a

NSN 5945-01-224-9046

Electromagnetic Relay - Page 2 of 2



| | | | ure: | |
|--|--|--|------|--|
| | | | | |
| | | | | |

--

Demilitarization:

No

Fiig:

A03300