

View Online at <https://aerobasegroup.com/nsn/5945-01-226-0861>

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

1.880 inches

Overall Diameter:

1.140 inches

Case Material:

Plastic

Fragility Factor:

Moderately rugged

End Application:

An/sps-48e

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

335.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

1 threaded bushing single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

1.919 cubic inches

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.563 inches single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

Time Delay:

0.006 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load and 15.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

8000.0 ac and 8000.0 dc

Thread Series Designator:

Uns single mounting facility

Terminal Type And Quantity:

5 turret all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300