# NSN 5945-01-227-9886

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-227-9886

#### **Overall Length:**

4.360 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.880 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility

#### **Overall Height:**

3.090 inches

**Overall Width:** 

3.250 inches

**Case Material:** 

Metal

**Environmental Protection:** 

Dustproof

**Unthreaded Mounting Hole Diameter:** 

0.199 inches single mounting facility

**Fragility Factor:** 

Moderately rugged

End Application:

Othbanfps118

Winding Quantity:

1

Purpose For Which Designed:

General

**Coil Quantity:** 

1

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

43.785 cubic inches

**Mounting Facility Pattern:** 

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.50 seconds fixed operate time

## NSN 5945-01-227-9886

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

20.0 amperes ac resistive load and 1.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 110.0 dc

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300