# NSN 5945-01-228-1761

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-228-1761

**Overall Length:** 

0.610 inches

**Overall Height:** 

0.320 inches

**Overall Width:** 

0.610 inches

**Case Material:** 

Metal

**Environmental Protection:** 

Hermetic

**Fragility Factor:** 

Moderately rugged

**End Application:** 

Console

Winding Quantity:

1

Purpose For Which Designed:

General

**Coil Quantity:** 

1

Winding Dc Resistance Rating:

975.0 ohms single winding

**Duty Type:** 

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

1 terminal single mounting facility

# Storage Type:

General purpose warehouse

#### **Cubic Measure:**

0.119 cubic inches

# Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

# **Criticality Code Justification:**

Feat

# Time Delay:

0.004 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

125.0 milliamperes ac resistive load and 2.0 amperes dc resistive load

NSN 5945-01-228-1761

Electromagnetic Relay - Page 2 of 2



# Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

### **Special Features:**

Failure rate level 0.1 percent

# **Test Data Document:**

81349-mil-4-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

14 wire lead all functions

#### **Specification Data:**

81349-mil-r-39016/36 government specification

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

# Fiig:

A03300