NSN 5945-01-229-7062

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-229-7062
Overall Length:
1.415 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.200 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.400 inches single mounting facility
Overall Height:
0.660 inches
Overall Width:
0.600 inches
Unthreaded Mounting Hole Diameter:
0.091 inches single mounting facility and 0.101 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
117.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Criticality Code Justification:
Feat
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc inductive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Special Features:
Failure rate 3.0 percent per 10, 000 cycles
Terminal Type And Quantity:
4 wire lead all functions
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5945-01-229-7062

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300