NSN 5945-01-230-4487

Electromagnetic Relay - Page 1 of 2



Electionagnetic relay 1 age 1 of 2	arvu
View Online at https://aerobasegroup.com/nsn/5945-01-230-4487	
Overall Length:	
1.718 inches	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
0.625 inches single mounting facility	
Overall Height:	
1.320 inches	
Overall Width:	
1.025 inches	
Mounting Slot Width:	
0.150 inches single mounting facility	
Case Material:	
Metal	
Environmental Protection:	
Hermetic	
Fragility Factor:	
Moderately rugged	
End Application:	
Lgm30 test se	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Duty Type:	
Continuous	
Arc Quenching Method:	
Air	
Mounting Facility Type And Quantity:	
3 slotted hole single mounting facility	
Storage Type:	

General purpose warehouse

Features Provided:

Polarized

Cubic Measure:

2.273 cubic inches

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

150.0 milliamperes dc single winding

NSN 5945-01-230-4487

Electromagnetic Relay - Page 2 of 2



Time Delay:

2.00 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.396 inches single mounting facility and 1.446 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

30.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-83726 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

8 wire hook all functions

Specification Data:

81349-mil-r-83726/28 government specification

Shelf Life:

N/a

Unit Of Measure:

-

Demilitarization:

No

Fiig:

A03300