NSN 5945-01-234-1215

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-234-1215

Body Style:

Cylindrical frame

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 1.183 inches and 1.193 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 0.633 inches and 0.643 inches

Body Length:

1.760 inches

Unthreaded Mounting Hole Diameter:

Between 0.172 inches and 0.177 inches

Maximum Operating Temp:

300.0 degrees fahrenheit

Mounting Base Length:

Between 1.463 inches and 1.473 inches

Mounting Base Width:

Between 0.995 inches and 1.005 inches

Fragility Factor:

Moderately rugged

Actuator Diameter:

Between 0.078 inches and 0.083 inches

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

1666.00 kilohms

Duty Type:

Continuous

Terminal Location:

Actuator end

Electric Power Rating:

37.5 watts

Voltage Rating In Volts:

Between 180.0 dc and 250.0 dc

Mounting Facility Type And Quantity:

4 unthreaded hole

Current Rating:

150.0 milliamperes

Cubic Measure:

2.584 cubic inches

Actuator Stroke Type:

Pull

NSN 5945-01-234-1215

Electrical Solenoid - Page 2 of 2



Linear Force Delivered: 8.00 pounds Power Takeoff Connection Type: Tapered end Energizing Stroke Maximum Length: 0.023 inches Mounting Facility Pattern: Four position rectangular Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A134a0