## NSN 5945-01-234-3144

Electromagnetic Relay - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5945-01-234-3144

1.822 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.562 inches single mounting facility
Overall Height:
1.699 inches
Overall Width:
1.130 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.147 inches single mounting facility
Fragility Factor:
Extremely fragile
End Application:
Harpoon msts
Frequency In Hertz:
Between 60.0 and 400.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
3.6 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
3.498 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
Nonpile-up Main Contact Arrangement: 6 pole, double throw, one position momentary

## NSN 5945-01-234-3144

Electromagnetic Relay - Page 2 of 2



	Time	Del	ay:
--	------	-----	-----

0.01 seconds fixed operate time

**Operating Voltage Rating And Type At Specificationified Temp:** 

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

**Terminal Type And Quantity:** 

20 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A03300