## NSN 5945-01-236-1061

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-236-1061
Overall Length:
3.531 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.875 inches single mounting facility and 1.750 inches single mounting facility
Overall Height:
3.750 inches
Overall Width:
2.438 inches
Mounting Slot Width:
0.203 inches single mounting facility
Case Material:
Plastic
Environmental Protection:
Dustproof
Center To Center Distance Between Mounting Facilities Parallel To Height:
3.250 inches single mounting facility
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Cadmium plated
End Application:
4920-01-083-2644
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
5.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
6 slotted hole single mounting facility

Storage Type:

General purpose warehouse

## NSN 5945-01-236-1061

Electromagnetic Relay - Page 2 of 2



Cubic Measure:
32.282 cubic inches
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, single throw, normally open, momentary action
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
50.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
600.0 ac
Special Features:
Horizontal mounting
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Terminal Type And Quantity:
10 screw all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

**Fiig:** A03300