## NSN 5945-01-243-0785

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-243-0785

Overall Length:
0.900 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.700 inches single mounting facility
Overall Height:
0.235 inches
Overall Width:
0.430 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.096 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Mcs
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
310.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.091 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:

0.004 seconds fixed operate and release time

## NSN 5945-01-243-0785

Electromagnetic Relay - Page 2 of 2



## **Operating Voltage Rating And Type At Specificationified Temp:**

12.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes dc lamp load

**Main Contact Maximum Voltage Rating In Volts:** 

28.0 dc

**Terminal Type And Quantity:** 

8 wire lead all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300