# NSN 5945-01-244-9463

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-244-9463

Overall	Length:
Overail	Longin.

0.385 inches

**Overall Diameter:** 

0.370 inches

## **Case Material:**

Metal

## **Environmental Protection:**

Hermetic

#### **Fragility Factor:**

Moderately rugged

#### **Contact Material:**

Metal

**Contact Surface Treatment:** 

Gold

#### End Application:

## B-1bacftiate

Winding Quantity:

1

## **Purpose For Which Designed:**

General

## **Coil Quantity:**

1

## Winding Dc Resistance Rating:

100.0 ohms single winding

#### **Duty Type:**

Continuous

#### Arc Quenching Method:

Air

# Mounting Facility Type And Quantity:

1 terminal single mounting facility

# Storage Type:

General purpose warehouse

## **Cubic Measure:**

0.041 cubic inches

# Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

# Time Delay:

0.006 seconds fixed operate time

# Operating Voltage Rating And Type At Specificationified Temp:

5.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes dc resistive load

NSN 5945-01-244-9463

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

28.0 dc

#### **Precious Material And Location:**

Contact surfaces gold

Precious Material:

Gold

## Terminal Type And Quantity:

8 wire lead all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300